

Phone: +44 (0) 161 874 5050

Email: sales@touchstar.co.uk

Web: www.rugged-mobile-computers.co.uk



Rugged by design

The **TS3200** is a 'Tour de force' in both design and ingenuity, suitable for the most rigorous use in the most extreme conditions. The **TS3200** provides full protection against dust, water and oil ingress, allowing safe use in potentially explosive environments.

Built to last

The robust construction of the **TS3200** has resulted in a mobile computer that is built to last. Unique to TouchStar is the internal silicon mounted chassis, ensuring full protection of the internal electronic components within tough handheld or vehicle mounted applications.

When combined with the high impact polycarbonate plastics, the **TS3200** provides an extremely reliable solution that is designed to last. Not only this, TouchStar provide the long term support to guarantee seamless operation, reduced downtime and a low total cost of ownership.



Key components protected by an internal silicon chassis

Other design features that make this TS3200 the most rugged terminal in its class:

- IP54 rating
- Survives 1.5m drops on to concrete
- Operates in wide temperature extremes (-20°C to +55°C)
- High impact polycarbonate rugged touch screen

Our designers have worked hard to achieve an industry-leading rugged design to ensure that the **TS3200** withstands the most extreme environments.

For every application

The **TS3200** has been designed with a more efficient logistics operation in mind. Streamlining the data collection process, the **TS3200** integrates the latest high resolution bar code imager, 5M pixel camera and rugged touchscreen. Combined with powerful high-speed processor technology and 3G/4G communications, users are supported with fast and reliable transfer of data.

Ultra versatile cradle system

Designed to be versatile throughout all warehouse and logistics operations, the **TS3200**'s innovative cradle system provides a robust, user-friendly mounting solution. The compact cradle design enables easy installation in any HGV, van, forklift truck or on a warehouse trolley.

The unique magnetic guidance system facilitates one-handed insertion in either landscape or portrait orientation, offering genuine ease of use and versatility when switching between mounted and mobile operations.

For maximum protection, the incorporation of a positive locking mechanism ensures the **TS3200** is securely held at any angle in environments where high levels of vibration and shocks occur.



Proven performance

Front-line personnel demand rugged, reliable mobile computing devices to successfully complete job routines. The **TS3200** offers proven performance in a vast number of demanding industry settings including:



Fuel & Industrial Distribution



General Haulage & Transportation



Distribution of Hazardous Goods



Bulk Liquid, Powder & Food Distribution



Warehousing



Field Service

TS3200 Mobile Computer

Technical Specification

-

MECHANICAL

Dimensions: 220mm (W) x 33.5mm (D) x 135mm (H) Weight: 765g

ENCLOSURE

High density Silicone / Polycarbonate composite Impact resistant, flame retardant, ATEX specification Internal silicon mounted chassis for maximum impact absorption

OPERATING SYSTEM

Android

DISPLAY

7" 1024 x 600, 24bit Colour TFT, Anti-Glare, 16:9 Ratio LED Backlit Direct Sunlight Readable IPS

CAPACITIVE TOUCHSCREEN

High Impact Polycarbonate Signature capture Multi-Touch

PROCESSOR

CPU: Freescale i.MX6 800MHz - 1GHz TYPE: Cortex - A9 MPCore

MULTIMEDIA

Graphics Accelerated 2D and 3D 1080p30 H.264 Decode, 720p30 H.264 Encode

MEMORY / STORAGE

2GB Low Power DDR2 RAM 16GB eMMC - Standard

EXPANSION / CONNECTIVITY

Micro SD Card, Micro SIM Card Socket USB-C (Via Cradle)

CRADLE INTERFACE

Magnetic Guided Docking 5V Power Input USB-C Connector External 3G/4G Antenna Socket External GPS Active Antenna Socket

INTERNAL RECHARGEABLE BATTERY

Lithium Ion 3.7V, 4060mAh, 30Wh

NETWORKING & COMMUNCATION

WIFI: 802.11a/b/g/n + MIMO (2.4GHz/5GHz) BLUETOOTH: 4.0/BLE, Hands Free Audio Interface Support MOBILE BROADBAND: 3G/4G

DEDICATED GPS

Multi-GNSS receiver, GPS, Glonass, Galileo and QZSS, Hot Start < 1Ss - Cold Start < 35s, NMEA

AUDIC

Digital Microphone - Front Facing

Dual High Power Speaker - Front Facing

CAMERA FRONT & REAR FACING

Front - 5M Pixel auto focus Rear - 5M Pixel auto focus

CAMERA FLASH

LUXEON Flash - Rear (only on non-ATEX build)

BARCODE SCANNER / IMAGER (OPTIONAL)

1D/2D Barcode Scanning Engine All 1D/2D barcode formats supported

OPERATING TEMPERATURE

-20°C to +55°C

ENVIRONMENTAL

IP54

SHOCK TESTING

1.5M Drop in all orientations on to concrete

STORAGE TEMPERATURE

-30°C to +70°C

ACCESSORIES

Desk Top PSU Charger and USB-C Cable Magnetic Guided Docking Cradle

APPROVALS

CE / FCC

Get in touch:

Phone: +44 (0) 161 874 5050 Email: sales@touchstar.co.uk

Web: www.rugged-mobile-computers.co.uk

TouchStar Technologies Ltd 7 Commerce Way, Trafford Park, Manchester, M17 1HW