



TS8000

TOUCHSCREEN MOBILE COMPUTER

RUGGED BY DESIGN

The **TS8000** is a 'Tour de force' in both design and ingenuity, suitable for rigorous use in the most extreme conditions. The metal alloy chassis combined with high impact polycarbonate plastics and highly durable, hard-capped keys ensure that the **TS8000** provides industry leading ruggedness and reliability.

IMPACT PROTECTION

The **TS8000** hand held terminal is continually subjected to shockwaves and vibration when in use within a warehouse and logistics operation. Vibration and shock can have an adverse effect on electronic components, which in turn can limit the useful life of a mobile terminal. TouchStar are unique in incorporating Sorbothane® into the design, eliminating these shockwaves by totally isolating components from the outer case. The **TS8000** is therefore capable of being used in robust environments providing an extremely reliable solution and prolonged life.

On impact, the Sorbothane® material deforms to disperse the shock waves laterally, immediately returning to its initial form to be fully operational in time for the next impact.



OTHER DESIGN FEATURES THAT MAKE THIS **TS8000** THE MOST RUGGED TERMINAL IN ITS CLASS:

- IP54 rating for full protection against dust, water and oil ingress
- Survives 1.5m drops on to concrete
- Operates in wide temperature extremes (-20°C to +50°C)
- Rugged polycarbonate touchscreen
- High impact shock absorbers

Our designers have worked hard to achieve industry-leading ruggedness to ensure that the **TS8000** withstands the most extreme environments.

FOR EVERY APPLICATION

The **TS8000** is powered by the latest high-speed processor technology. Available with an array of communication options, the **TS8000** supports Wi-Fi 802.11a/b/g/n and Bluetooth 2.1, enabling users to stay connected wherever they are and whatever task they are performing.

RUGGED AND DYNAMIC

The **TS8000** integrates feature rich functionality into a well-balanced and lightweight design providing ultimate operator comfort in scan intensive environments. The dynamic data collection capabilities of the high resolution barcode readers, high performance colour 3M pixel camera and rugged touchscreen, combine to provide startling productivity and efficiency gains for all supply chain scenarios.

The **TS8000**'s large and clearly defined 29/59 key numeric/ alphanumeric keyboard options are optimally set out, making it ideal for gloved hand operation in the most demanding of data entry applications. The 6 directly accessible function keys, allow for programmable key functions to suit each and every individual requirement. On the numeric version of the **TS8000**, an onscreen alpha character key input can be accessed via the dedicated alpha key.



PROVEN PERFORMANCE

The **TS8000** offers proven performance with the highest level of automation, it is the ideal industrial terminal for warehouse and logistics based applications including, but not limited to:



WAREHOUSING



FIELD SERVICE



VEHICLE INSPECTION



ON-BOARD RETAIL



PROOF OF DELIVERY



TRANSPORTATION



MANUFACTURING



UTILITIES

TS8000

TOUCHSCREEN MOBILE COMPUTER

Technical Specification

PHYSICAL

Dimensions - 85mm (W) x 40mm (D) x 205mm (H)
Weight - 530g (with main battery and pistol grip),
460g (with main battery, without pistol grip)
Case - Impact resistant, flame retardant
Rubber Moulded Bumpers - High impact shock absorbers Case
Material - UV stabilised polycarbonate

DISPLAY SPECIFICATION

3.5" QVGA Colour TFT, Anti-Glare, 240 x 320 pixels, LED Backlit,
Direct Sunlight Readable, Programmable Dimming

TOUCHSCREEN

High Impact Industrial Polycarbonate,
Resistive - Finger,
Stylus - Glove operable, Signature capture

AUDIO SPECIFICATIONS

High Power Speaker, Microphone

PERFORMANCE SPECIFICATION

Processor - TI OMAP 800MHz - 1GHz

MEMORY / STORAGE SPECIFICATIONS

256MB NAND Flash - Standard - 512MB Option
256MB Low Power DDR RAM - 512MB Option

COMMUNICATION AND INTERFACE PORTS

Micro SD Card (Under Battery),
USB 2.0 OTG, SIM Card Socket, RS232

INTERNAL BATTERY BACKUP

Single Lithium Ion cell, 1200mAh, 4.6Wh

WIFI

802.11a/b/g/n (2.4GHz/5GHz)

GPS MODULE PERFORMANCE (OPTIONAL)

Multi-GNSS receiver, GPS, Glonass, Galileo, QZSS,
Hot Start < 1s - Cold Start < 35s, NMEA

3G HSPA MODULE - MOBILE BROADBAND (OPTIONAL)

HSPA+ 7.2 Mbps downlink - 5.7 Mbps Uplink

BLUETOOTH

Bluetooth 2.1 + EDR,
Hands Free Audio Interface Support

CAMERA

3M Pixel

FLASH

LUXEON Flash

INTERNAL LASER SCANNER OPTIONS

Standard Range, Long Range, Extreme Long Range, Near Far

INTERNAL IMAGER OPTIONS

EX25 Imager for all 1D and 2D Barcode Engines:
- Extreme Long Range
- Integral Aiming LED
- Autofocus Technology - Read Range 6" to 50ft

RFID OPTIONS

LF 123KHz, HF 13.56MHz

KEYBOARD INTERFACE NUMERIC (29 KEYS)

0-9 Numeric Keys, Up, Down, Left and Right Navigational Keys, Scan Key, Alt, On/Off, Enter, 18 Programmable Function Keys (Direct Access)

KEYBOARD INTERFACE ALPHA NUMERIC (59 KEYS)

QWERTY Keyboard, 0-9 Numeric Keys, Up, Down, Left and Right Navigational Keys, Scan Key, Alt, On/Off, Enter, 18 Programmable Function Keys (Direct Access)

OPERATING SYSTEM

Microsoft Windows Embedded Compact 7,
Application Support Package, Full Dialler Application,
Bluetooth, Full Range of Mobile Applications

OPERATING TEMPERATURE

-20°C to +50°C

STORAGE TEMPERATURE

-30°C to +70°C

RELATIVE HUMIDITY

95% (non condensing)

SHOCK

1.5m drop onto concrete

ENVIRONMENTAL

IP54

APPROVALS

CE / FCC

ACCESSORIES

Pistol Grip, Holster, High Durability Carry Case,
Desktop Charging and Communications Cradle,
Six Gang Battery Charger, Rubber Shock Sock

TouchStar Technologies Ltd, Campus Road, Listerhills Science Park,
Bradford, BD7 1HR, West Yorkshire, United Kingdom

Visit: www.ruggedmobilecomputers.com Email: sales@touchstar.co.uk Tel: +44 (0) 1274 741860